

RealValidExam



Try before you buy

Download a free sample of any of our exam questions and answers

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.

Choose an exam to sample

Select a vendor... ▼

Select an exam... ▼

Your email address

 Download Now



QUALITY AND VALUE

RealValidExam Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all dumps.



TESTED AND APPROVED

We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide. anEdison



EASY TO PASS

If you prepare for the exams using our RealValidExam testing engine, It is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.



TRY BEFORE BUY

RealValidExam offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.

<http://www.realvalidexam.com>

100% real and valid exam dumps can ensure you pass at the first attempt

Exam : **VCS-261**

Title : Administration of Veritas
InfoScale Storage 7.3 for
UNIX/Linux

Vendor : Veritas

Version : DEMO

NO.1 Which Veritas InfoScale Cluster File System module communicates change in cluster membership to the fencing module (VxFEN)?

- A. High Availability Daemon (HAD)
- B. Global Lock Manage (GLM)
- C. Global Atomic Broadcast (GAB)
- D. Low Latency Transport (LLT)

Answer: C

NO.2 Refer to the exhibit.

v	datavol	-	ENABLED	ACTIVE	2097152	SELECT	datavol-03	fsgen
pl	datavol-03	datavol	ENABLED	ACTIVE	2097152	STRIPE	2/128	RW
sv	datavol-S01	datavol-03	datavol-L01	1	1048576	0/0	2/2	ENA
v2	datavol-L01	-	ENABLED	ACTIVE	1048576	SELECT	-	fsgen
p2	datavol - P01	datavol-L01	ENABLED	ACTIVE	1048576	CONCAT	-	RW
s2	datadg01-02	datavol-P01	datadg01	0	1048576	0	hds9500-alua0_6	ENA
p2	datavol-P02	datavol-L01	ENABLED	ACTIVE	1048576	CONCAT	-	RW
s2	datadg03-02	datavol-P02	datadg03	0	1048576	0	hds9500-alua0_8	ENA
sv	datavol-S02	datavol-03	datavol-L02	1	1048576	1/0	2/2	ENA
v2	datavol-L02	-	ENABLED	ACTIVE	1048576	SELECT	-	fsgen
p2	datavol-P03	datavol-L02	ENABLED	ACTIVE	1048576	CONCAT	-	RW
s2	datadg02 - 02	datavol-P03	datadg02	0	1048576	0	hds9500-alua0_7	ENA
p2	datavol-P04	datavol-L02	ENABLED	ACTIVE	1048576	CONCAT	-	RW
s2	datadg04-02	datavol-P04	datadg04	0	1048576	0	hds9500-alua0_9	ENA

What is the layout of the volume described in the vxprint output provided in the exhibit?

- A. mirrored volume with each mirror made up of concatenated subdisks (mirror-concat)
- B. mirrored volume with each mirror made up of striped subdisks (mirror-stripe)
- C. layered volume striped across mirrored subvolumes (stripe-mirror)
- D. layered volume formed by concatenation of mirrored subvolumes (concat-mirror)

Answer: B

NO.3 The concatenated mirrored volume called appvol in appdg has 200MB and is mounted to /app as a Veritas file system. An administrator needs to expand the file system and volume by adding 100MB, but expanded only the volume using the following command.

```
# vxassist -g appdg growby appvol 100M
```

Which command should the administrator perform next to expand the file system, without changing the volume size?

- A. fsadm
- B. vxresize
- C. fcladm
- D. vxfsadm

Answer: B

NO.4 Which command should an administrator use to display the status when a volume layout is being changed?

- A. vxrelayout
- B. vxinfo
- C. vxstat
- D. vxvol

Answer: D

NO.5 Portions of the same disk group were imported onto several systems at the same time resulting in conflicting configuration copies.

Which command should be used to resolve the conflict?

- A. vxsplitlines
- B. vxconfigrestore
- C. vxrecover
- D. vxreattach

Answer: A

NO.6 After every product installation, the installer creates an installation log file that is used for auditing, debugging, and future use.

What is the location of the installation log file?

- A. /opt/VRTS/install/logs
- B. /opt/VRTS/install
- C. /opt/VRTS/install/installer
- D. /opt/VRTS/install/installer/log

Answer: A

NO.7 Each Veritas Volume Manager disk group has a configuration database that contains persistent configuration data (or metadata) about the objects in the disk group.

Where is VxVM internal configuration information stored?

- A. in the private region of the VxVM managed disk
- B. in the public region of the VxVM managed disk
- C. in the file allocation table of the VxVM managed disk
- D. in the table of contents of the VxVM managed disk

Answer: A

NO.8 An administrator wants to verify the name of the Veritas InfoScale Operations Manager (VIOM) management Server for a Managed Host.

Which file contains the desired information?

- A. /var/opt/VRTSsfmh/mh_config.ver
- B. /etc/default/sfm_resolv.conf
- C. /opt/VRTSsfmh/etc/xprtld.conf
- D. /var/opt/VRTSsfmh/HOST/sfm.dump

Answer: D